



MASTER PRO

DUCT & CHIMNEY

FIREPLACE SELECTIONS



REAL FYRE® VENTED COLLECTION

Gas log catalog

Fireplace styles and options
for your home

Selection and installation consultation
(214) 874-0572



THE COLLECTION

Find your fireplace style

This catalog brings together Real Fyre vented gas-log designs and Master Pro fireplace services to help you plan your project.

Explore log styles, burners and controls. Master Pro can review your fireplace and prepare an installation quote. Additional supplier options are identified separately.

Choosing a system	03
Premier Series	04
Signature Series	08
Supplier design options	16
Controls and accessories	20
Master Pro services	22
Plan your consultation	23

Selections are drawn from the supplier's 2025 Real Fyre catalog. Model availability, compatibility and final scope are confirmed before ordering.

Start with your fireplace

The right system depends on more than the look of the logs.



01

Confirm the fireplace

These are vented products for a suitable wood-burning fireplace with a functioning chimney or flue. An existing gas appliance is not automatically compatible.

02

Confirm fuel and fit

The exact burner, fuel type, controls and fireplace dimensions must work together. Natural gas and propane versions are not interchangeable.

03

Choose the look

Compare bark detail, charred textures, lighter birch styles and contemporary options. Save your favorites by product name and model code.

04

Review the complete quote

Ask which logs, burner, controls, accessories and installation work are included. Any chimney or gas-supply work needs its own scope.

This is a selection guide, not an installation manual. Follow the exact product instructions and applicable requirements. See the consultation checklist on page 23.

G52 Radiant Fyre

Detailed logs and a layered flame presentation



FEATURED COMBINATION

Charred Evergreen Oak

24-inch ENO log set with the G52 burner system, shown in the supplier catalog.

LOG SIZES

18/20, 24, 30 in.

BURNER SIZES

18/20, 24/30 in.

FUELS

Natural gas or propane*

*Exact fuel and control configuration must be confirmed.

G52 log styles

Four distinct looks designed for the G52 Radiant Fyre system.



Charred Evergreen Oak

ENO

18/20, 24, 30 in.



Charred Evergreen Split Oak

ENS

18/20, 24, 30 in.



Colonial Oak

COLO

18, 24, 30 in.



Burnt Aspen

BTA

18/20, 24, 30 in.

The G52 burner

A dual-tier burner with a stainless steel booster grid and concealed controls. Available controls vary by configuration.

The source lists manual, remote and electronic ignition options. Match-lit versions are natural gas only.



Manufacturer sizes are nominal. Fireplace clearances, selected valve and the complete model determine fit.

G31 three tier burner

A layered flame display with two dedicated Mountain Crest log styles.



Mountain Crest Oak

MCO

18, 24, 30, 33, 39 in.



Mountain Crest Split Oak

MCS

18, 24, 30, 33, 39 in.

System details

Three-tier burner design with a porcelainized reflective front panel. Burner sizes: 18/20, 24/30 and 33/39 inches.

More compatible looks

The source also lists selected Charred Series logs: CHNA, CHNS, CHD, CHS, CHAO, CHB and CHMBW. Confirm the exact size pairing.

Natural gas and propane configurations are listed. Match-lit configurations are natural gas only.

Enhanced and Cinder logs

Exposed embers, burned detailing and flame-enhanced combinations.



Charred Majestic Oak Enhanced

CHMJ--FE**

24, 30, 36 in.



Charred Mountain Birch Enhanced

CHMBW--FE**

18/20, 24, 30 in.



Charred Cinder Oak

CNDO

18, 24, 30 in.



Charred Cinder Birch

CNDB

18, 24, 30 in.



Charred Cinder Split

CNDS

18, 24, 30 in.

Complete the pairing

Charred Cinder models are listed for G4, G45 and G46 burners. Enhanced sets include matched flame-enhancer components.

Additional enhanced styles: Charred Oak, Split Oak Designer Plus and Golden Oak Designer Plus.

** represents the selected size. The supplied 2025 catalog introduced some Cinder variants as upcoming; current availability must be checked.

Build the complete system

Logs, burner, media and controls are selected together.

01 Gas logs



02 Steel grate




03 Ember material



04 Burner pan



05 Compatible controls



One coordinated selection

The illustration shows a G45-style system with Charred American Oak logs and optional controls. Components and burner media depend on the exact product and fuel type.

Do not combine unmatched logs, burners or media. Product instructions determine approved parts and placement.

Compare the burners

Select the burner around the fireplace, fuel, log style and control requirements.



G4 and GX4

Glowing Ember Burner

Single-burner layout. Source sizes: 12, 16/19, 18/20, 24, 30, 36, 42, 48 and 60 in.



G45 and GX45

Triple T Burner

H-burner layout for an expanded ember bed. Source sizes: 16/19, 18/20, 24, 30, 36, 42, 48 and 60 in.



G45 stainless steel

Outdoor configuration

Stainless steel pan option. Source sizes: 16/19, 18/20, 24, 30, 36, 42, 48 and 60 in.



G46

Advanced Glowing Ember Burner

H-burner layout with hidden installed controls. Source sizes: 18/20, 24 and 30 in.

Images may show optional controls. Fuel, valve, outdoor suitability and log compatibility must be verified for the full model number.

Charred log styles

Deep textures and burned-through details for a traditional fireplace.



Charred Oak

CHD

16, 18/20, 24, 30 in.



Charred Mountain Birch

CHMBW

18/20, 24, 30, 36, 42 in.



Charred Rugged Split Oak

CHRRSO

18/20, 24, 30 in.



Charred American Oak

CHAO

18/20, 24, 30 in.



Burnt Rustic Oak

HCHR

16, 18/20, 24, 30 in.



Charred Split

CHS

18/20, 24, 30, 36 in.

Choose a compatible burner and approved controls. Sizes are from the supplied manufacturer catalog.

Charred log styles

Compare shape and texture before choosing the size.



Charred Majestic Oak

CHMJ

24, 30, 36, 42, 48, 60, 72 in.



Charred Northern

CHN

18/20, 24, 30 in.



Charred Angel Oak

CHNA

18/20, 24, 30 in.



Charred Angel Split Oak

CHNS

18/20, 24, 30 in.



Charred Royal English Oak

CHB

18/20, 24, 30, 36, 42 in.

A note on larger sizes

A listed log size does not establish the correct burner or guarantee fireplace fit. Larger log sets require an exact system specification.

Bring dimensions and a photograph to your consultation.

Some log sizes extend beyond burner sizes shown here. Ask for the complete specification for the proposed system.

Designer log styles

Hand-painted wood textures, from pale birch to rich oak.



Rustic Oak Designer

HRD

16, 18, 24, 30, 36, 42 in.



Gnarled Split Oak

GSO

24, 30, 36 in.



White Birch

W

18, 24, 30 in.



Split Oak Designer Plus

SDP

18, 20, 24, 30, 36 in.



Golden Oak Designer Plus

RDP

12, 16, 18, 20, 24, 30, 36, 42, 48, 60 in.



Rugged Forest Split

RFS

18, 24, 30, 36 in.

Choose a compatible burner and approved controls. Sizes are from the supplied manufacturer catalog.

More Designer styles

Natural detail with a broad range of shapes and finishes.



Chestnut Oak

CN


18, 24, 30, 36 in.



American Oak

AO

18, 24, 30 in.



Split Oak

S

18, 20, 24, 30 in.



Rugged Split Oak

RRSO

18, 24, 30 in.



Mountain Birch

MBW

18, 24, 30, 36, 42 in.



Royal English Oak Designer

BD

18, 24, 30, 36, 42 in.



Woodland Oak

WO

18, 20, 24, 30 in.

YOUR SHORTLIST

Save the style and model code

We will help confirm the appropriate size and complete system.

Classic log styles

Traditional favorites with distinct silhouettes and bark textures.



Rustic Oak

HR

16, 18, 24, 30, 36, 42 in.



Post Oak

PO

18, 20, 24, 30 in.



Rugged Oak

RRO

18, 24, 30 in.



Golden Oak

R

12, 16, 18, 20, 24, 30, 36, 42 in.



Coastal Driftwood

CDR

18, 24, 30, 36 in.



Royal English Oak

B

18, 24, 30, 36, 42 in.

Choose a compatible burner and approved controls. Sizes are from the supplied manufacturer catalog.

See through fireplaces

Specialty log arrangements for open, multi-sided hearths.



Charred Oak

CHD-2-

16, 18/20, 24, 30 in.



Charred Rugged Split Oak

CHRRSO-2-

18/20, 24, 30 in.



Charred American Oak

CHAO-2-

18/20, 24, 30 in.



American Oak

AO-2-

18, 24, 30 in.



Golden Oak Designer Plus

RDP-2-

16, 18, 20, 24, 30, 36, 42, 48, 60 in.



Rugged Split Oak

RRSO-2-

18, 24, 30 in.

G45-2 / GX45-2: Listed for see-through, peninsula and island fireplaces. More log options include CHB-2-, SDP-2-, MBW-2-, R-2- and CDR-2-. Confirm the complete compatible model.

Contemporary fireplace options

Spheres, stones and glass media



FEATURED SUPPLIER COMBINATION

Mixed Select Fyre Spheres

24-inch Epic Black set FSM-24-EB with a P45 burner, shown in the supplier catalog.

Supplier options only. Availability and installation scope are confirmed during consultation. Contemporary media requires an approved burner and the correct material, quantity and placement.

P45 and PB burner options

Choose a complete approved burner-and-media combination.



Shoreline Designer Oak

SO

18, 24, 30 in.



Shoreline Driftwood

SDW

18, 24, 30 in.



Mixed Select Fyre Spheres

FSM--EB / FSM-**-GS**

18, 24, 30 in. • Epic Black or Graystone



Fyre Spheres

FS4 / FS5

18, 24, 30 in. • Finishes vary by model



P45 pan burner

18, 24 and 30 in. Listed for Shoreline logs, Fyre Spheres and other approved glass media.



PB flame pan burner

16, 18, 20, 24, 30, 36 and 42 in. The source lists multi-sided fireplace and contemporary-media options.

Supplier options only. Confirm availability and installation scope. Carrera Marble: 4-inch spheres in a 24-inch set only.

Spheres and stones

Rounded forms and natural colors for a modern hearth.

Fyre Spheres

Sphere diameters: 2, 3, 4, 5 and 6 inches.
Epic Black and Graystone finishes are listed across the range; Carrera Marble is listed in 4 inches.



River Rock Fyre Stones



Designer mix

STN-20 • 20 pieces



Ivory

STN-10I • 10 pieces



Terracotta

STN-10T • 10 pieces



Assorted

STN-10 • 10 pieces



Slate

STN-10S • 10 pieces

Creekstones



Cloud

CSTN-20-C



Cloud and Greige mix

CSTN-20-CG



Black

CSTN-20-B

Supplier options only. Availability and installation scope are confirmed during consultation.

Glass color selection

Compare color families and surface finishes.

Fyre Glass



Reflective Fyre Glass



Fyre Gems



Diamond Nuggets



Supplier options only. Availability and installation scope are confirmed during consultation. Colors may vary in person.

Choose your controls

The burner and fuel configuration determine compatible control options.



Phone control

The Real Fyre Bluetooth control is listed for selected vented ON/OFF-controlled burners. Receiver covers are shown in Golden Oak and White Birch styles.

Confirm the exact compatible appliance and control model.



Variable flame remote



VR-1A and VR-2A options are shown in the source catalog.



On and off remote

RR-1A and RR-2A options are shown. Functions vary by system.

Manual safety pilot



SPK-26(P) is one listed safety pilot system; compatibility is model-specific.

Wall controls



Wall-switch options are listed for compatible systems and wiring.

Controls are not universal. Confirm standing versus intermittent pilot ignition, power requirements and which functions are included.

Accessories and Fyrebacks

Finishing details for a compatible fireplace display.



Designer pine cones

PC-4



Acorns

AC-6



Charred accessory kit

CHA-1



Charred branches

BDC-4



Birch bonus logs

SB-BONUS



Designer bonus logs

SD-BONUS



Split bonus logs

SS-BONUS



Oak branches

BR-2



Wood chunk cover

WCDC-1



Pine cone cover

PCDC-1



Ember Glow

EM-1



Black embers

EB-1

Reflective Fyrebacks

Traditional and contemporary styles are listed in satin stainless, polished stainless and black porcelain. Confirm the exact size, fit and finish.



Supplier options only. Availability and installation scope are confirmed during consultation.

Fireplace services

Plan the product selection and the condition of your fireplace together.



Fireplace image from the Master Pro website

Gas log installation

Review compatible log-and-burner options, fuel type, controls and the proposed installation scope.

Chimney inspections

Discuss which inspection level is appropriate for the property and planned work.

Cleaning and maintenance

Ask about accessible cleaning, the existing fireplace condition and ongoing maintenance needs.

Repairs and installations

The website also lists chimney repairs, caps, liners and construction. Each project is assessed and quoted separately.

More services for your home

Air duct services • Dryer vent services • HVAC UV light installation

Ask about your ZIP code, scope and a separate service quote.

Bring the right details

A few photos and measurements help start a useful conversation.

Your fireplace

- Photos of the opening and existing logs or burner
- Front and rear firebox widths
- Depth and front and rear heights
- Fireplace or appliance label, if accessible
- Known fuel type and existing control setup

Only gather details safely, with the fireplace off and cool. Leave gas connections and technical inspection to a qualified professional.

Your preferences

- Favorite log styles and their model codes
- Traditional logs or supplier design options
- Manual, remote or phone control preference
- Indoor, outdoor or multi-sided fireplace
- Your ZIP code and desired project timing

Measurements start the discussion; they do not establish installation approval or final fit.

Confirm these in the quote

Exact log set and burner

Fuel and control configuration

Accessories and media quantities

Product availability and lead time

Installation and additional work

Price and applicable warranty terms

About this catalog

Product names, photography and listed sizes are adapted from the supplied Real Fyre 2025 Vented Collection Brochure, RH Peterson Co., Rev. 00. Real Fyre is the manufacturer brand; Master Pro is presented as the service contact. Product specifications may change. Product warranties and installation terms are separate and model-specific.

Product guidance: realfyre.com/choosing-the-right-log

Master Pro: Gas log installation service details



MASTER PRO DUCT & CHIMNEY



Plan your fireplace project

Share your favorite style, fireplace photos
and ZIP code to begin.

(214) 874-0572

Message us on WhatsApp

Masterproductchimneycleaning@gmail.com

DFW • Houston • Austin • San Antonio

Ask about service availability in your ZIP code

Product availability and final installation scope are confirmed before ordering. No pricing or product availability is implied by this catalog.